

## Peer-Reviewed Publications (IAEA Acknowledgement or Co-authored)

- [1] LOPEZ-TEROS, V., et al., Vitamin A-fortified milk increases total body vitamin A stores in Mexican preschoolers, *J. Nutr.* **143** (2013) 221-226. <http://www.ncbi.nlm.nih.gov/pubmed/23256139>
- [2] KODKANY, B. S., et al., Biofortification of pearl millet with iron and zinc in a randomized controlled trial increases absorption of these minerals above physiologic requirements in young children, *J. Nutr.* **143** (2013) 1489-1493. <http://www.ncbi.nlm.nih.gov/pubmed/23843474>
- [3] ISLAM, M. M., et al., Total zinc absorption from a diet containing either conventional rice or higher-zinc rice does not differ among Bangladeshi preschool children, *J. Nutr.* **143** (2013) 519-525. <http://www.ncbi.nlm.nih.gov/pubmed/23427330>
- [4] DE ALMEIDA, C. A., et al., Assessment of drinking water fortification with iron plus ascorbic acid or ascorbic acid alone in daycare centers as a strategy to control iron-deficiency anemia and iron deficiency: a randomized blind clinical study, *Journal of tropical pediatrics* (2013) <http://www.ncbi.nlm.nih.gov/pubmed/23963460>
- [5] DAVIDSSON, L., TANUMIHARDJO, S., Bioavailability, *Elsevier* **1** (2013) 195-201.
- [6] AGNE-DJIGO, A., et al., Energy intake from human milk covers the requirement of 6-month-old Senegalese exclusively breast-fed infants, *Br. J. Nutr.* (2013) 1-7. <http://www.ncbi.nlm.nih.gov/pubmed/23578434>
- [7] SHAIKH, S., et al., Development of bioelectrical impedance analysis-based equations for estimation of body composition in postpartum rural Bangladeshi women, *Br. J. Nutr.* (2012) 1-9. <http://www.ncbi.nlm.nih.gov/pubmed/22716500>
- [8] SAMUEL, T. M., et al., Breast milk zinc transfer and early post-natal growth among urban South Indian term infants using measures of breast milk volume and breast milk zinc concentrations, *Matern. Child Nutr.* (2012) 1-12. <http://www.ncbi.nlm.nih.gov/pubmed/22734965>
- [9] PETRY, N., et al., Stable iron isotope studies in Rwandese women indicate that the common bean has limited potential as a vehicle for iron biofortification, *J. Nutr.* **142** (2012) 492-497. <http://www.ncbi.nlm.nih.gov/pubmed/22298572>
- [10] NASREDDINE, L., et al., Obesity is associated with insulin resistance and components of the metabolic syndrome in Lebanese adolescents, *Ann Hum Biol* **39** (2012) 122-128. <http://www.ncbi.nlm.nih.gov/pubmed/22324838>
- [11] NASREDDINE, L., et al., Validity of predictive equations developed to estimate body fat from anthropometry and bioelectrical impedance analysis in 8-10 year-old children, *Clin. Nutr.* **31** (2012) 364-371. <http://www.ncbi.nlm.nih.gov/pubmed/22182946>
- [12] MEHDAD, S., et al., Body mass index, waist circumference, body fat, fasting blood glucose in a sample of moroccan adolescents aged 11-17 years, *Journal of nutrition and metabolism* **2012** (2012) 510458. <http://www.ncbi.nlm.nih.gov/pubmed/22175010>
- [13] KHAN, A. I., et al., Body Composition of Bangladeshi Children: Comparison and Development of Leg-to-Leg Bioelectrical Impedance Equation, *J. Health Popul. Nutr.* **30** (2012) 281-290. <Go to ISI>://000309630700006
- [14] JOSE, B., JAIN, V., VIKRAM, N. K., AGARWALA, A., SAINI, S., Serum magnesium in overweight children, *Indian pediatrics* **49** (2012) 109-112. <http://www.ncbi.nlm.nih.gov/pubmed/21719932>
- [15] HAMRANI, A., et al., Fat-free mass prediction model for Moroccan adolescents by bioelectrical impedance analysis using deuterium oxide dilution as a reference, *Int. J. Body Comp. Res.* **10** (2012) 107-114.
- [16] DE LANEROLLE-DIAS, M., LANEROLLE, P., ATUKORALA, S., DE SILVA, A., Enhancing the accuracy of bio impedance analysis in assessing total body water, *Int. J. Body Comp. Res.* **10** (2012) 29-34.
- [17] DE LANEROLLE-DIAS, M., DE SILVA, A., LANEROLLE, P., ARAMBEPOLA, C., ATUKORALA, S., Micronutrient status of female adolescent school dropouts, *Ceylon Med. J.* **57** (2012) 74-78. <http://www.ncbi.nlm.nih.gov/pubmed/22772785>
- [18] ZULU, R. M., et al., Assessing the impact of a food supplement on the nutritional status and body composition of HIV-infected Zambian women on ARVs, *BMC Public Health* **11** (2011) 714. <http://www.ncbi.nlm.nih.gov/pubmed/21936938>
- [19] NAZLEE, N., Maternal body composition and its relationship to infant breast milk intake in rural Pakistan, *Food Nutr. Sci.* **2** (2011) 932-937.
- [20] MEDOUA, G. N., et al., Breastfeeding practices of Cameroonian mothers determined by dietary recall since birth and the dose-to-the-mother deuterium-oxide turnover technique, *Matern. Child. Nutr.* **8** (2011) 330-339. <http://www.ncbi.nlm.nih.gov/pubmed/21426489>

- [21] MEDOUA, G. N., et al., Body composition of Cameroonian lactating women determined by anthropometry, bioelectrical impedance, and deuterium dilution, *Nutrition* **27** (2011) 414-419. <http://www.ncbi.nlm.nih.gov/pubmed/21168308>
- [22] MARTINS, V. J., et al., Long-lasting effects of undernutrition, *Int. J. Environ. Res. Public Health* **8** (2011) 1817-1846. <http://www.ncbi.nlm.nih.gov/pubmed/21776204>
- [23] LIU, A., et al., Validation of bioelectrical impedance analysis for total body water assessment against the deuterium dilution technique in Asian children, *Eur. J. Clin. Nutr.* **65** (2011) 1321-1327. <http://www.ncbi.nlm.nih.gov/pubmed/21731041>
- [24] LIU, A., et al., Ethnic differences in the relationship between body mass index and percentage body fat among Asian children from different backgrounds, *Br. J. Nutr.* **106** (2011) 1390-1397. <http://www.ncbi.nlm.nih.gov/pubmed/21736824>
- [25] KINDRA, G., COUTSODIS, A., ESPOSITO, F., ESTERHUIZEN, T., Breastfeeding in HIV exposed infants significantly improves child health: a prospective study, *Matern. Child Health J.* (2011) <http://www.ncbi.nlm.nih.gov/pubmed/21505776>
- [26] DAVIDSSON, L., TANUMIHARDJO, S., New frontiers in science and technology: nuclear techniques in nutrition, *Am. J. Clin. Nutr.* **94** (2011) 691S-695S. <http://www.ncbi.nlm.nih.gov/pubmed/21653797>
- [27] RONCO, A. M., et al., Lead and arsenic levels in women with different body mass composition, *Biol. Trace Elem. Res.* **136** (2010) 269-278. <http://www.ncbi.nlm.nih.gov/pubmed/19851721>
- [28] TRAVER, L. A., et al., Deuterium equilibrium time in saliva of newborn infants, *J. Pediatr. Gastroenterol. Nutr.* **48** (2009) 471-474. <http://www.ncbi.nlm.nih.gov/pubmed/19322057>
- [29] SANTOS, I. S., et al., Helicobacter pylori is not associated with anaemia in Latin America: results from Argentina, Brazil, Bolivia, Cuba, Mexico and Venezuela, *Public Health Nutr.* **12** (2009) 1862-1870. <http://www.ncbi.nlm.nih.gov/pubmed/19257919>
- [30] RAMIREZ, E., VALENCIA, M. E., MOYA-CAMARENA, S. Y., ALEMAN-MATEO, H., MENDEZ, R. O., Four-compartment model and validation of deuterium dilution technique to estimate fat-free mass in Mexican youth, *Nutrition* **25** (2009) 194-199. <http://www.ncbi.nlm.nih.gov/pubmed/18947978>
- [31] PFRIMER, K., MARCHINI, J. S., MORIGUTI, J. C., FERRIOLLI, E., Fed state protein turnover in healthy older persons under a usual protein-rich diet, *J. Food Sci.* **74** (2009) H112-115. <http://www.ncbi.nlm.nih.gov/pubmed/19490328>
- [32] HESS, S. Y., LONNERDAL, B., HOTZ, C., RIVERA, J. A., BROWN, K. H., Recent advances in knowledge of zinc nutrition and human health, *Food Nutr. Bull.* **30** (2009) S5-11. <http://www.ncbi.nlm.nih.gov/pubmed/19472599>
- [33] SHORTT, K., DAVIDSSON, L., HENDRY, J., DONDI, M., ANDREO, P., International perspectives on quality assurance and new techniques in radiation medicine: outcomes of an IAEA conference, *Int. J. Radiat. Oncol. Biol. Phys.* **71** (2008) S80-84. <http://www.ncbi.nlm.nih.gov/pubmed/18406944>
- [34] MEDOUA, G. N., et al., Validity of impedance-based equations for the prediction of total body water as measured by deuterium dilution in Cameroonian HIV-infected patients treated with antiretroviral treatment, *Clin. Nutr.* **27** (2008) 881-888. <http://www.ncbi.nlm.nih.gov/pubmed/18760511>
- [35] THANKACHAN, P., MUTHAYYA, S., WALCZYK, T., KURPAD, A. V., HURRELL, R. F., An analysis of the etiology of anemia and iron deficiency in young women of low socioeconomic status in Bangalore, India, *Food Nutr Bull* **28** (2007) 328-336. <http://www.ncbi.nlm.nih.gov/pubmed/17974366>
- [36] HOTZ, C., Dietary indicators for assessing the adequacy of population zinc intakes, *Food Nutr. Bull.* **28** (2007) S430-453. <http://www.ncbi.nlm.nih.gov/pubmed/17988006>
- [37] EVANS, J., et al., The association of interleukin-18 genotype and serum levels with metabolic risk factors for cardiovascular disease, *Eur. J. Endocrinol.* **157** (2007) 633-640. <http://www.ncbi.nlm.nih.gov/pubmed/17984243>
- [38] DE BENOIST, B., DARNTON-HILL, I., DAVIDSSON, L., FONTAINE, O., HOTZ, C., Conclusions of the Joint WHO/UNICEF/IAEA/IZiNCG Interagency Meeting on Zinc Status Indicators, *Food Nutr. Bull.* **28** (2007) S480-484. <http://www.ncbi.nlm.nih.gov/pubmed/17988008>
- [39] DE ALMEIDA CARLOS; RAMOS ADRIANA; JOAO CAMILA, J. C., RICCIO RUBENS, DUTRA-DE-OLIVEIRA JOSE, Jardimopolis sem anemia, primeira fase: avaliacao antropometrica e do estado nutricional de ferro, *Rev Paul Pediatr* **25** (2007) 254-257.

- [40] ALEMAN-MATEO, H., et al., Body composition by the four-compartment model: validity of the BOD POD for assessing body fat in Mexican elderly, *Eur. J. Clin. Nutr.* **61** (2007) 830-836.  
<http://www.ncbi.nlm.nih.gov/pubmed/17228350>
- [41] WALCZYK, T., et al., Iron absorption by human subjects from different iron fortification compounds added to Thai fish sauce, *Eur. J. Clin. Nutr.* **59** (2005) 668-674. <http://www.ncbi.nlm.nih.gov/pubmed/15756294>
- [42] WALCZYK, T., et al., Iron absorption by human subjects from different iron fortification compounds added to Thai fish sauce, *Eur. J. Clin. Nutr.* **59** (2005) 668-674. <http://www.ncbi.nlm.nih.gov/pubmed/15756294>
- [43] HAISMA, H., et al., 2H<sub>2</sub>O turnover method as a means to detect bias in estimations of intake of nonbreast milk liquids in breast-fed infants, *Eur. J. Clin. Nutr.* **59** (2005) 93-100.  
<http://www.ncbi.nlm.nih.gov/pubmed/15383827>
- [44] FURR, H. C., et al., Stable isotope dilution techniques for assessing vitamin A status and bioefficacy of provitamin A carotenoids in humans, *Public Health Nutr.* **8** (2005) 596-607.  
<http://www.ncbi.nlm.nih.gov/pubmed/16236189>
- [45] FAIRWEATHER-TAIT, S., et al., The usefulness of in vitro models to predict the bioavailability of iron and zinc: a consensus statement from the HarvestPlus expert consultation, *Int J Vitam Nutr Res* **75** (2005) 371-374.  
<http://www.ncbi.nlm.nih.gov/pubmed/16711470>
- [46] KIM, S. A., MIRANDA-DA-CRUZ, B., MOKHTAR, N., IYENGAR, V., Nuclear and isotopic techniques applied to supporting nutritional studies in East Asia and Pacific Countries: IAEA's contributions over 20 years, *Asia Pac. J. Clin. Nutr.* **13** (2004) 184-193. <http://www.ncbi.nlm.nih.gov/pubmed/15228987>
- [47] IYENGAR, G. V., et al., Estimation of internal radiation dose to the adult Asian population from the dietary intakes of two long-lived radionuclides, *J. Environ. Radioact.* **77** (2004) 221-232.  
<http://www.ncbi.nlm.nih.gov/pubmed/15381318>
- [48] IYENGAR, G. V., et al., Dietary intakes of seven elements of importance in radiological protection by asian population: comparison with ICRP data, *Health Phys.* **86** (2004) 557-564.  
<http://www.ncbi.nlm.nih.gov/pubmed/15167119>
- [49] BARRADO, A., et al., The usefulness of stable isotopes in nutrition and human health: the application of mass spectrometry and 13C-breath tests to detect helicobacter pylori infection, *Arch. Latinoam. Nutr.* **54** (2004) 27-43, 25-23. <http://www.ncbi.nlm.nih.gov/pubmed/16119720>